



#111/B
PRY
4/8/03

PATENT
IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the application of:)
Charles D. Ritz)
Serial No.: 09/736,828) Art Unit: 3635
Filed: December 13, 2000) Examiner: Thissell, Jennifer I.
For: SYSTEM AND METHOD FOR) Docket No.: 321802-1020
INCREASING THE LOAD CAPACITY)
AND STABILITY OF GUYED TOWERS)

SECOND RESPONSE

Assistant Commissioner for Patents
Box: Patent Application
Washington, DC 20231

RECEIVED
APR 04 2003
GROUP 3600

Sir:

In regard to the outstanding non-final Office Action of November 15, 2002, Applicant submits the following Second Response with amendments and remarks.

It is not believed that extensions of time or fees for net addition of claims are required, beyond those which may otherwise be provided for in documents accompanying this paper. However, in the event that additional extensions of time are necessary to allow consideration of this paper, such extensions are hereby petitioned under 37 C.F.R. §1.136(a), and any fees required therefor (including fees for net addition of claims) are hereby authorized to be charged to Thomas

Kayden Horstemeyer & Risley, L.L.P.'s Deposit Account No. 20-0778.

03/28/2003 SDENB081 00000043 200778 09736828
01 FC:2202 99.00 CH

Certificate of Mailing

I hereby certify that this correspondence is being deposited with the United States Postal Service as First Class Mail in an envelope, with sufficient postage, addressed to: Assistant Commissioner for Patents, Box Patent Application, Washington, D.C. 20231 on 3-17-2003.

Signature: Shana R. East